






Plan View



SETUP INSTRUCTIONS

General Setup Instructions


- Read entire setup instruction manual prior to unpacking parts and pieces.
- The setup instructions are created specifically for this configuration.
- Setup instructions are laid out sequentially in steps, including exploded views with detailed explanation for assembly.

Cleaning & Packing


- For Cleaning Metal, Plex, & Laminate Parts: Use a **MILD NON-ABRASIVE** cleanser and soft cloth/paper towel to clean all surfaces.
- Keep exhibit components away from heat and prolonged sun exposure.
Heat and UV exposure will warp and fade components.
- Retain all provided Packing Materials. All provided packing materials are for ease of repacking & component protection.

Disassembly


- For loss prevention, tighten all set screws and locks during disassembly.




Hex Tool - Essential for Assembly




Part Identification - Numbering




Spline Connection



Base Plate & Extrusion Connection



Extrusion & Lock Connection



Engaged Lock



WARNING



DO NOT USE POWER TOOLS



LADDERS OR LIFTS
MAY BE REQUIRED



ALL CONNECTIONS MUST
BE TIGHTLY SECURED





Item	Qty.	Description
1	1	38"h S44 Vertical Extrusion
2	1	38"h S44 Vertical Extrusion
3	1	38"h S44 Vertical Extrusion
4/4A	1/1	47"h S44 Vertical Extrusion
5	1	38"h S44 Vertical Extrusion
6/6A/6B	3/2/1	18"w Z45 Horizontal Extrusion
7/7A	2/2	16"w Z45 Horizontal Extrusion
8	1	Bottom Shelf
9/9A	1/1	25"w Z45 Horizontal Extrusion
10/10A	1/1	25"w S44 Horizntal Extrusion

Steps:



- 1) Connect horiozntals [6] between verticals [1 & 2], [3 & 4], & [4A & 5].
- 2) Attach horizontals [7] between assemblies [1/2/6] & [3/4/6].
NOTE: Vertical [2] has hinges and must face inward. Refer to detail below.
- 3) Connect horizontal [9] between verticals [3 & 5].
NOTE: Vertical [5] has hinges and must face inward. Refer to detail below.
- 4) Connect horizontal [10] between verticals [4 & 4A].
- 5) Insert side infill between [1 & 2], [3 & 4], [4A & 5]
- 6) Insert large front infill between [4 & 4A] & small front infill between [1 & 4].
- 7) Secure infills with horizontals [6A], [6B], [7A], & [10A].
- 8) Attach horiozntal [7A] between verticals [2 & 3]
- 9) Attach horiozntal [9A] between verticals [3 & 5].

Steps Cont'd:

- 10) Insert Shelves and rest on pin on interior of kiosk.
- 11) Connect shelf supports to velcro on interior of kiosk;
place large interior shelf on supports.
- 12) Hang cabinet doors on hinges.
See **Door Attachment** detail.




Item	Qty.	Description
11	1	Counter Top
12	2	8.25"h Stand-Off Barrel



Steps:


- 1) Attach Counter Top to assembled base. See [Counter Top Attachment](#) detail.
- 2) Attach stand-off barrels to threaded holes in the counter top.
- 3) Connect Plex Counter to stand-offs and [10A] using screw caps. See [Upper Shelf to Counter Attachment](#) detail.

Upper Shelf to Counter Attachment



Attach standoff barrels to counter and secure in place. Secure upper shelf to standoffs using screw caps.

When assembled



*** Counter Top Attachment**

